File: 999-11-2		
Fitle: Individual Hospital Re-	oords / 100	
Origin: Hospital #2, Bataan	HON HE	
Dates: 1942	Classification: None	
Authenticity: Originals, un	signed	750
Scurce: Unknown  Extracted by yes Date	Microfilmed Pellyq Date	
A9-KI Form 91 (20 July 1945)	THE PERSON NAMED IN	



# XXXXXXXXXXXXXX

ARCHIVES F	PILE NUMBER 999-11-2	
TITLE	INDIVIDUAL HOSPITAL RECORDS — -	
ORIGIN	HOSPITAL #2, BATAAN	
DATES	1942	
AUTH RETICE	ORIGINALS, UNSIGNED	
SOURCE	UNKNOWN	

CHANANANANA ANA

## GHNERAL HOSPITAL NO. 2 (trans from Gen. Hosp. No. 1)

Name: Dixon, John L.

Age: 20

Date of injury: April 6, 1942

Diagnosis: GSW, gunshot, left forearm, with comp. comm. fracture of left radius

Treatment: Wound debrided and cleansed. Insertion of soft rubber drain.

Application of plaster cast with hand in supplination.

Progress: May 5, 1942, Cast reapplied. Condition good. Wound has granulated well.

DECLASSIFIED
Authority NND883078

SKIK SKIK

Mame: Abel, Charles E.

Age: 21

Date of injury: April 7, 1942

Magnesis: Fracture, simple, complete, proximal end of the 3rd metatarsals, right foot.
Fracture, simple, incomplete, medial condyle right tibia.

Struck by truck near Limay.

Treatment: Alignment good. Application of plaster cast walking boot and iron.

Progress: April 26, 1942, Cast removed, good cellus formation.

GENERAL HOSPITAL NO. 2 (trans from Gen. Hosp. No. 1)

Name: Arnoldy, Arthur A.

Age: 26

Date of injury: Dec. 24, 1942

Magnosis: GSW, shrappel, right scapular region, and left thigh; wounds superficial. Left foot, thru and thru; wound of entrance, plantar surface; wound of exit, dorsus of foot.
Fracture, compound, communited, of 2nd, 3nd, 4th, and 5th metatural bones of left foot.

Treatment: Wounds cleansed, debridement, and packed with sulfa powder and iodoform gauze. Posterior splint applied to left foot.

Propess: March 6, wound has consistently been draining there seems to be a good deal of sequestra. Wound is granulating well though. Wound packed with vascline game and a plaster cast applied from web of toes to knee.

April 4, Walking iron applied over old cast, and patient urged to walk with the aid of the crutch.

April 12, Old cast removed and wound dressed.

April 16, Patient complains of sharp pain an dorsum of foot-Upon examination the ward Surgeon satracts one long piece of sequestrum. Wound on plantar surface of foot is well granulated up and healed.

April 22, Ward Surgeon extracts another piece of sequestrum nearly as large as the first piece. Drainage from wound decreased.

May 8, Another piece of bone has worked its way out of the wound. Drainage from wound on dorsum of foot persists.

#### GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Bahmer, J. W.

Are: 23

Date of injury: Feb. 4, 1942

Diagnosis: GSW, Shrapnel, Fracture, comp. comm. lower one-third left ulna

Treatment: Bebridement of wound, hemostasis, wound cleaned with metaphen; instillation of sulfathiazole and packed with vaseline gause. Application of an anterio-posterior splint-to forearm.

Progress: Splint removed, wound cleansed and dressed. Application of a plaster cast. date: March 2, 1942.

March 24, 3542, Gast removed. This patient has a nice result, in the fractare of the una. There is a small bridge of callus, there is not enough, however, to leave the arm without support, a small posterior splint is wrapped on the arm for protection at night, and should be removed at intervals, with exercise and physiotherapy, with message.

March 25, 1942, Massage and exercise to left arm begun.

May 9, 1942, wound has healed nicely. The ulna has good alignment. Posterior splint is being worn.

Name: Benavides, Braulia

Age: 23

Date of injury: April 7, 1942

Diagnosis: GSW, rifle, Penetrating wound of left thigh.
Fracture, comp. comm. distal third left femur.

Treatment: Kirschmer wire inserted into distal end of femur. Traction.
Wound cleaned, instillation of metaphem, sulfa powder and
packed with a vaseline wick.

Progress: April 19, 1942, Wound filled in satisfactorily. Vaseline gauze laid over granulating surfaces. Leg cast applied. Condition good. Soft callus.

May 10, 1942, Cast is found to be in fairly good condition.

Name: Bonas, Romto

Age: 24

Date of injury: April 7, 1942

Diagnosis: Fracture, comp. comm. of all metatarsalsbones of left foot.

Treatment: Debridement and cleansing of the wound. Eleeders cleaped and ligated. Sulfa powder and vaseline gauze packed into the wound. Plaster cast applied.

Progress:: May 9, 1942, a.bloody, purulent, fluid is draining from the top of the cast. Cast in poor condition.

Name: Braumberger, John

Age: 22

Date of injury: March 7, 1942

Diagnosis: GSW, gunshot, left hand with fracture of the proximal phalanx of the third finger. Self inflicted.

Treatment: Wount debrided, and cleansed with metaphen, packed with sulfa powder and vaseline gauze. Posterior splint to forearm applied.

Progress: March 30, 1942, wound granulating well. May need reamputation to produce a flap.

May 9, 1942, The palmar surface of the wound has healed in good condition, but the doral wound still persists to drain moderately.

Tibia and fibul.

### GENERAL HOSPITAL NO. 2

Name: Broussard, Albert

Age: 26

Date of injury: Jan. 10, 1942

patient.

Diagnosis: Fracture, simple, upper third, tibis and fibula.

Treatment: Reduction of fracture by closed method. Plaster cast applied.

Progress: Feb. 16, 1942, Cast removed. Functional and anatomical results excellent. Up and about the ward.

April 21, 1942, Condition good, ambulant. No complaints from the

GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Cappel, Felman E.

Age: 27

Date of injury: Jan. 25, 1942

Magnosis: GSW, wound, gunshot, penetrating left thigh, middle third. Fracture, comp. comp. left femur, middle third. Gas Gangrene, secondary to first diagnosis.

Treatment: Operation: Amputation, guillotine, Upper one-third of left thigh because of gas gangrene infection.

Progress: Feb. 26, 1942, Re-amputation of left thigh to establish correct closure.

Feb. 28, 1942 After forty-eight hours, the rubber drain was removed. Wound looks clean.

March 5, 1942, Sutures removed from wound and a very mild stitch abscess was found. adhesive straps were applied. Condition of stump fairly good.

May 9, 1942, The flaps have grown together, with fair results.

Name: Deckers, Jacques J.

Age: 45

Date of injury: March 28, 1942

Diagnosis: GSW, shregnel, penetrating, nedial aspect of right upper am severing ulbar artery and vein, and progressing down to the distal third of the foream. Fracture, compound, communited, upper and middle third of the right ulma.

Treatment: Operation, incision over ulnar aspect of the forearm, vessels ligated, wound cleansed with sulfa powder and hydrogen peroxide, wound closed in the usual manner. Shrapuel removed from the lower third of the forearm

Progress: March 29, 1942, There is considerable hemorrhage. The dressing is changed and the condition of the arm appears good.

March 30, 1942, The arm is much smollen and there is gross evidence of gas infection, this is freed by loosening the sutures. Operation: Incision of the lower foream multiple, Gas Gangrene anti-toxin given. Sodium Pentothal as the anesthetic, 72 grains.

April 1, 1942, The gas inflection has extended to the upper ann, and there is total loss of blood supply to the arm and hard Operation: Asputation, guilloties, then middle third of right arm. Veinogriss, 1000 oc of Normal Sallane Solution. Ascendatio, Sodium Pentothal, 10 grains. Fatient returned to ward in good condition.

April 4, 1942, Stump healthy, no gas present.

April 28, 1942, Stump reamputated. Anesthetic, Ether, 4 ounces.

May 9, 1922, Sutures are still intack. Drainage is profuse consisting of a thick, creamy, purulent discharge. Odor is fetid. Obviously there can be seen no superficial inflammation.

Name: Diosdado, Marte

Age: 24

Date of injury: April 7, 1942

Magnosis: GSW, shrapnel, thru and thru, right foot. Wound of entrance of lateral aspect, and wound of exit on medial aspect. Practure, compound, communited, right Oscaleta.

Treatment: Wound debrided, cleansed with metaphen, packed with sulfathiasole powder and vasoline gauze. Plaster boot applied. Cast to be removed on or about May 5, 1942.

Progress: May 5, This cast is found to be in a satisfactory condition at this time and will be removed in about two weeks.

Name: Dulay, Catalino

Are: 25

Date of injury: April 7, 1942

Diagnosis: GSW, shrapmel, left wrist, right supra-orbital, and right upper arm, thru and thru,

Fracture, compound, communited, distal one-third of the left

radius.

Treatment: Wounds cleansed and dressed, the fracture is splinted with q

posterior splint.

Progress: Fracture in good position. No cast is needed, though patient will keep the posterior splint intack. The right arm is swollen due

to a large hemotoma. Patient should wear a sling until swelling subsides. - April 28.

Name: Dumalag, Francisco

Age: 42

Date of injury: April 7, 1942

Diagnosis: GSW, shrapnel, left forearm and left leg with comp comm fracture of left tibia.

Treament: Wounds on forearn and leg debrided and cleaned with metaphen, packed with sulfa fowder and vasaline gause. Wound on forearn dressed. Tibia manipulated into apposition and a plaster leg cast amplied.

Progress: May 9, 1942, Cast is still in good condition.

## GENERAL HOSPITAL NO. 2 (transferred from Gen. Hosp. No. 1)

Name: Flowers, Daniel

Age: 24

Date of injury: Jan. 21, 1942

Diagnosis: GSW, shrapnel, on chest and over the sternum.
GSW, bhrapnel, Fracture, compound, communited, left radius.

Treatment: Debridement of chest wound and removal of foreign body.
Wound on left forearm cleansed, debrided, metaphen, sulfa
powder, and packed with vaseline rauze, Reduction of fracture,
and application of plaster cast.

Progress: Feb. 3, 1942, wound on chest healing and granulating well.
Feb. 27, 1942, old cast removed and position of arm changed.
new plaster cast applied with hand in supination.
March 18, 1942, The cast is removed, the wound is granulated.
the fracture is well callused.

DECLASSIFIED
Authority NND583 078

14

Ed 14

Name: Bocal, Restituto

Age: 26

Time of injury: April 5, 1942

Diagnosis: GSW, rifle, Fracture, compound, communited, middle third, left radius with extensive soft tissue destruction to volar surface of forearm.

Treatment: April 8, 1942, Wound cleansed, debrided, metaphen, sulfa powder and vaseline gauze. Posterior splint applied.

April 16, 1942, Removal of posterior splint, wound cleansed, sulfa powder and vaseline gauze packing. Arm cast applied.

> May 7, 1942, Old cast removed, wound cleaned and re-dressed. Wound granulating and fracture callused, though soft, condition good. Radial nerve paralysis.

## GENERAL HOSPITAL NO:2 (trans. from Gen. Hosp. No. 1)

Name: Furio. Eustaquio F.

Age: 24

Date of injury: Feb. 17, 1942

Left Hemiplegia.

Diagnosis: GSW, bullet, wound, lacerated, thru and thru, right parietal region from front to rear.

Fracture, comp. comn. Right parietal bone with loss of brain tissue.

Treatment: Area around wound shaved and cleansed metaphen, sulfa powder, and compression bandage applied. Also drain tube inserted.

Progress: March 9, 1942, Able to move left arm and hand voluntarily. left leg still paralyzed. Wound has granulated and healed over well.

April 7, 1942, Patient not able to walk due to pain in left leg.

May 9, 1942, patient is amutulentary, but hemiplegia is still persistent on the left side.

Name: Gabritero, Rerafael

Age: 23

Date of injury: April 7, 1942

Diagnosis: GSW, shrapnel, right thigh.

Fracture, Compound, Communited, middle third, right femur.

Treatment: Wound cleaned, packed with sulfathiozole and vaseline gauze.

Introduction of Kirschner wire into distal end of femur. traction.

Progress: Traction removed and leg cast applied. Condition good. Peroneal nerve paralysis. (April 16, 1942)

May 9, 1942, Wound discharging purulent fluids immensely. Cast will have to be changed soon. Soaked thru and thru with supurative material.

DECLASSIFIED
Authority NND883 078

CATIX

#### GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1) (Feb. 18,42)

Name: Hendricks, Jr., L. C.

Age: 25

Date of injury: Jan. 21, 1942

Diagnosis: GSW, right forearm, middle third. Fracture, comp. comm. right radius, middle third. Radial nerve paralysis

Treatment: Wound detrided, cleaned with metaphen, sulfa powder and packed with vaseline gauze. Plaster cast applied.

Progress: Feb. 19, 1942, Old cast removed and a new one respilied. Condition of fracture good; previous cast was to short, allowing flaxor tendons to retract. This means he will need a radial nerve repair.

March 5, 1942, Cast removed, small granulating wound on inner and outer aspects of right Forearm. As sending patient to P.T. clinic for massage and exercise to right arm.

March 25, 1942, Cock-up splint applied to right forearm.

April 7, 1942, Splint removed. Arm in good condition.

Name: Ibanez, Bliennaventura

Age: 23

Progress:

Date of injury: April 7, 1942

Diagnosis: GSW, right forearm, thru and thru, upper third.

Fracture compound, communited, proximal end of ulna, just below

the olecronon.

Treatment: Wound cleansed, application of metaphen, packed with sulfa powder and vaseline mauze. Application of plaster cast.

April 23, 1942, Old cast removed, Wound cleansed, application of metaphen, sulfa powder, and vaseline gauze. Plaster cast re-

applied. Patient went home.

### GENERAL HOSPITAL NO. 2 (trans from General Hosp. No. 1)

Mame: Ildfonso, Felix

Age: 21

Date of injury: Feb. 22, 1942

Diagnosis: GSW, 45 caliber pistol, left thigh, thru and thru. Fracture, comp. comm. left femur, middle third.

Treatment: Wound cleaned, metaphen and hydrogen peroxide instilled into the wound. Packed with sulfathiazole and vaseline wick.
Introduction of Kirschner wire thru distal end of femur. Traction.

Progress: April 7, 1942, removed Kirschner wire and applied a plaster hip spica. Woundahas healed completely over.

April 19, 1942, Old cast removed, and new plaster hip spica applied.

May 10, 1942, Cast in good condtion.

GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1) (2-9-42)

Name: Latch, Thomas M.

Age: 23

Date of injury: Feb. 4, 1942

Diagnosis: GSW, bullet, left elbow.

Fracture, incomplete, compound, lateral condyle of left humerus.

Treatment: Debridment and cleansing of the wound, introduction of packing into wound. Posterior splint applied.

Feb. 12, 1942, Foreign body, 45 caliber bullet was found to be

lodged in the lateral epicondule of left humerus. Operation: Removal of the bullet and application of a swinging cast. Amethesia: 6 grains of Sodium Pentothal.

March 21, 1942, The cast is removed, the condition of the arm is good; the patient should have a course of Physiotherapy, and then he will be ready for duty.

DECLASSIFIED
Authority\_NND883078

St NVA

#### GENERAL HOSPITAL NO. 2 (trans. from Gen. Hospital No. 1) (3-25-42)

Name: Head, Joseph T.

Age: 24

Date of injury: March 23, 1942

Diagnosis: GSW, severe, pistol, thru and thru left elbow, wound of entrance anterior cubical fossa, and wound of exit over the oleogramon.

(self inflitted)

Treatment: Wound cleaned, debrided, painted with metaphen, insertion of sulfa powder and iodoform packing.

Progress: Meach 26, The E-ray reveals a compound, Fracture of the lateral convile of the lat by humany. There is consideral separation of the training the car, the place in flactor and the cast applied with pressure over the controlled The situation should be watched for swelling of the car, he should lay on the bed nost of the time, with the sum on his elect.

April 24, Cast removed, wound cleansed and dressed. Sling applied and patient should start active motion.

## GENERAL HOSPITAL NO. 2 (transferred from Gen. Hosp. No. 1)

Name: Jaro, Biato

Age: 24

Time of injury: April 11, 1942

Diagnosis: GSW, shrapnel, right hand.

Fracture compound communited of metacarpal bones, right.

Treatment: April 11, 1942, Wound cleaned, debrided, Packed with sulfa powder and vaseline gauze. Finger traction applied to 3rd and 4th

finger, posterior splint.

Progress: May 4, 1942, Splint and traction removed. Non-union of metacarpals. Wound granulating.

Name: Roshe, Richard A.

Age: 24

Tibia

Date of injury: April 5, 1942

Diagnosis: GSW, shrapnel, left knee, anterior aspect.

Fracture, compound, incomplete, proximal third of the left tibia, secondary to first diagnosis.

Secondary to lirst clagnosis.

Treatment: The wound is dressed and reparked with vasoline gauze; the plaster cast is applied to middle thigh to web of the toes.

Cast to remain for three or four weeks.

Progress: May A, 1942, The cast is removed. There is an area of tible about two and a half on. in diameter which is missing from arterio-lateral aspect of bone, upper one-third. Mole packed

with vasoline gauze and dressed.

Data the Brack

Name: Liwarag, Deagrauar

Age: 26

Tibia

Date of injury: April 3, 1942

to the lenee.

Diagnosis: GSW, shrapnel, left leg, middle third, medial aspect.
Fracture, compound, communited, distal third of the left tible.

Treatment: Wound cleaned with hydrogen peroxide, metaphen and packed with vasoline gause and sulfathianole. Reduction closed method. Posterior placker splint applied to left leg from web of boss

Progress: April 14, Leg cast applied. Wound is granulating well, There seems to be some soft callus formation.

May 10, Cast is found to be in a fair condition.

Name: Mash, Jesse

Age: 26

Progress:

Date of injury: March 17, 1942

Diagnosis: Fracture, simple, complete, outer one-third, left clavicle.

(truck accident.)

Treatment: March 17, 1942, A figure of eight cast applied to clavicle. March 28, 1942, Cast in a satisfactory condition. Good apposition.

> May 9, 1942, Cast removed and condition of the clavicle is excellant.

Name: Memmler, Harold W.

Age: 24

Date of injury: March 14, 1942

Diagnosis: 65", rifle, severe, right foot, thru and thru, entrance at dorsum of foot and wound of exit at palmar surface of right foot, Fracture, compound, communited, preximal heads of the 3rd and 4th mentansal bones of the right foot.

Treatment: The wound is cleaneed with metaphen and a small vasoline gause wick inserted in each wound; plaster cast applied, the position of the Treature is datisfactory.

Progress: May 4, 1942, The cast was removed. The wound was found to be still draining moderately from both entrance and exit of the wound.

The 3rd and 4th metatarsal bones seems to be well callused.

Name: Lola, Tito

Age: 25

Date of injury: April 1, 1942

Diagnosis: 85%, shrappel, left leg at junction of thigh and left buttock.
Fracture, compound, complete of left fourth metatarsal bone
fracture, compound, complete, of left fourth metatarsal bone

Treatment: Wounds cleansed, debrided, and packed with sulfathiazole and vaseline gauze. Wounds dressed. Posterior splint to foot applied.

Progress: May 10, Wound is granulating good; there is still an area of about 2 on in diameter which is not healed yet.

## GENERAL HOSPITAL NO. 2 (trans. from Gen. Hospital No. 1)

Name: Meyers, Henry H.

Age: 27

Date of injury: Jan. 20, 1942

Diagnosis: GSW. Machine gun, right arm, middle and distal third.
Fracture, compound, communited, right humarus at junction of
middle and distal thirds. X-ray says the alignment is good.

Treatment: Wound debrided, cleansed with hydrogen peroxide and packed with sulfa powder and rubber tissue-drain. Fosterior splint applied, (a few interrupted subures inserted without use of mesthesia.

Progress: Jan. 22, 1942, drain was removed. Wound is still inflammed.

Feb. 1, 1942, Swinging cast applied. Swelling has decreased. Wound has begun to granulate in.

April 10, 1942, Old cast, removed, arm and wound cleaned with green scap. Wound painted with metaphen and remaining sutures removed.

April 13, 1942, Patient rebroke the old right humerus fracture; There seem to be a good deal of callus. Swinging cast applied.

May 10, 1942, The cast is still in good condition

Name: Nicholson, Wilmer J.

Age: 39

Date of injury: April 4, 1942

Diagnosis: GSW, shrapnel, resulting in comp. comm. fracture of upper one-third of humerus, right.

Treatment: Wound debrided and cleaned with hydrogen peroxide and metaphen. Packed with sulfa powder and vaseline gauze. Swinging cast applied.

Progress: May 7, 1942, Hanging cast removed, posterior splint applied.

There is an accumulation of pus to middle of upper arm. Incision and drainage, vaseline pack; the fracture is in good position and a presence of a soft callus.

## GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Peterson, Lester

Age: 22

Date of injury: Jan. 26, 1942

Diagnosis: GSW, gunshot, thru and thru Teft leg.

Fracture, compound, communited, upper third left tibia and fibula.

fibula. Gas Cangrene, secondary to first diagnosis:

Treatment: Operation: Amputation, guillotine, of leg at upper one-third.

Progress: Patient cured of gas infection Feb. 22, 1942.

Feb. 26, 1942, Reamputation and reconstruction of a flap. Anesthetic: Spinal, 120 mgm.

March 3, 1942, Sutures removed from the stump of amputation and it looks fair.

March 28, 1942, Stump is healed and is dry. Advise patient to exercise the leg to get full extension of the knee.

Name: Tiameson, Ouirino

Age: 31

Date of injury: April 6, 1942

Diagnosis: GSW, shrapnel, right leg.

Fracture, compound, communited, distal third of the right tibia and fibula.

Treatment: April 6, The wounds are cleaned, and vaseline guase and sulfa powder applied. Reduction closed method; plaster cast applied up to mid thigh.

May 5, Plaster cast reapplied, condition of fracture and wound, is good.

Name: Rigdon, Glenn B.

Are: 24

Date of injury: April 5, 1942

Diagnosis: GSW, shrappel, left knee, with fracture, compound, communited articular surface of femur, patella, and tibia. Gas Gangrene, left thigh, due to above injury.

Treatment: Amputation, guillotine, upper third, left thigh-Gas Gangrene antitoxin, therapeutic dose.

Progress: May 9, 1942, Patient has had no reamputation as yet. The wound is granulating well, though there seems to be a bloody purulent discharge from the wound, but no inflammatory process in action can be seen.

Name: Rubinstein, Saul

Age: 23

Date of injury: April 7, 1942

Biagnosis: GSW, wound, shrappel, left hand, thru and thru.
Fracture, compound, communited, first metacarpul bone, middle
third.

Treatment: Wound cleansed on palmar surface of left hand. metaphen, sulfa powder, packed with vaseline gauze. Flaster cast applied.

Progress: Cast removed. wound cleaned up, painted with metaphen, sulfa powder, and vaseline gauge applied to surface of granulating wound. A satisfactory union. Tibia and fibula

#### GENERAL HOSPITAL NO. 2

Name: Slabinski, Anthony A.

Age: 24

Date of injury: Harch 11, 1942

Diagnosis: GSW, pistol, thru and thru, right lower leg, severe, wound of entrance, posterior surface lower third, and wound of exit, anterior surface of right ankle joint.

Fracture, incomplete, compound of right tible and fibula.

Treatment: March L/, Reduction, closed method, Plaster cast applied, from web of toe to knee. The tibia and fibula fractures are both

incomplete.

Progress: May 10, 1942, The cast was removed april 4, and immediately after removal the leg began to swell. Very uncomfortable to

the patient.

GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Splinter, Richard C.

Age: 21

Date of injury: Feb. 12, 1942

Diagnosis: GSW, shrapnel, left ankle, resulting in comp. comm fracture of

the posterior surface of the astragalua. Self inflicted.

Treatment: Wound debrided, cleansed with hydrogen peroxide, and packed with

sulfa powder and a rubber tissue drain inserted. Posterior splint applied.

Progress: Beb. 23, 1942, Condition of wound satisfactory, east applied.

April 1, 1942, The cast is removed, and the condition of the fracture, is good, The motion of the ankle joint is better than expected, and the patient should be able to walk on the foot, but should have a shoe.

#### GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Spratt, John C.

Age: 23

Date of injury: April 5, 1942

Diagnosis: GSW, gunshot, resulting in comp. comm. fracture of first metatarsal of the left foot.

Treatment: April 7, 1942, Wound debrided, cleansed with metaphen, and packed with sulfathiazole powder and vaseline gauze. Pressed.

Progress: May 9, 1942, wound granulating very slowly, although the bone has a soft callus formation; a moderate drainage from wound present.



Name: Thompson, Dalcourte W.

Age: 26

Date of injury: April 7, 1942

Diagnosis: GSW, bullet, penetrating left shoulder below the mid-point

of claricle. Fracture, compound of left scapula.

Treatment: Wound cleened and packed with vaseline gauze, may do secondary closure in future.

Progress: April 9, 1942, Figure of - eight plaster cast was applied to the shoulders. Wound cleaned and dressed.

April 16, 1942, Wound granulating well; healing satisfactorily.

May 10, The wound is still drainging moderately. The figure of cight cast has become loosen offering no essential support.

Authority NUDESS 07

GENERAL HOSPITAL NO. 2 (trans from Gen. Hosp. No. 1)

Name: Valek, Antone

Age: 26

Date of injury: Jan. 27, 1942

Diagnosis: CSW, shrapnel, right arm and forearm with compound, communited fracture of humerus, distal third. Extensive soft tissue

destruction of forearm.

Treatment: Wounds cleaned, painted with metaphen, packed with sulfa powder and vaseline gauze. Hispesift rubber drains inserted into the wound. Application of a swinging weighted cast.

Progress: Feb. 7, 1942, cast removed. wound on right arm clean and granulating. Posterior splint applied.

Feb. 11, 1942, wound clean and healed well. Fracture has soft callus formation.

March 9, 1942, The splint is removed, the X-ray shows that this fracture is healing in good position, and with some hard callup, the patient is instructed to wear a sling on the arm for a shortperiod, about one week and then to be able to use it with the musics.

May 9, 1942. The arm is completely healed with good results.



GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Vansicle, J. C.

Age: 23

Date of injury: Jan. 24, 1942

Diagnosis: Fracture, comp. comm. Middle one third, left radius and ulna GSW, bullet, lacerating left forearm.

Treatment: Debridement of wound, cleansed with metaphen and hydrogen peroxide.

Application of plaster of paris cast.

Progress: Feb. 28, 1942, cast removed and posterior splint applied.
Wounds are well healed.

March 1, 1942, Posterior splint removed. Wounds are well. Patient advised to use forearm more often.

#### GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1) (3-2-42)

Name: Villiers, Russel L.

Are: 23

Date of injury: Jan. 25, 1942

Diagnosis: GSW, shrappel, right leg resulting in Compound communited fracture, suprcondylar, right femur.

Treatment: Wound cleansed, instillation of metaphen, sulfathiazole and iodoform packing. Posterior splint up to the superior illac crest.

Progress: Feb. 11, 1942, Presence of atrophic gangrene of right foot.

Operation: Amputation guillotine, right leg, upper junction
of middle third. Amesthetic: Spinal anesthesia, 100 mgm.

Sch. 18, 19/2, Infection has set in at stump. Octoorylitis at other of commond Fracture, right fearur. Operation Heamputation of right leg, at mid thigh. Stump closed with anterior flap, Sulfa proder. Interrupted dermal sutureinsertion of bubber drain. Anosthetic: Spinal 100 mgm. Remove drain in twenty-four hours.

March 5, 1942, Sutures removed following secondary closure of stump, right thigh. To-day the suture line is clean and satisfactory.

May 9, 1942, The suture line has healed satisfactorily, and appearance of the stump is excellent.

GENERAL HOSPITAL NO. 2 (transferred from Gen. Hosp. No. 1)

Name: Limit, Simeon

Age: 23

Date of injury: March 10, 1942

Diagnosis: GSW, bullet, left forearm.

Fracture, compound, communited radius and ulna, left.

Treatment: Wound cleansed, debrided, application of metaphen, sulfa powder, and vaseline gazze. Flaster cast applied.

Progress: Patient transferred from No. 1 April 7. Cast in good condition.

April 23, 1942, Cast may remain in place although it should be removed.

Patient went home.

Radius

GENERAL HOSPITAL NO. 2

Name: Mc Cullough, Levering

Age: 22

Date of injury: March 21, 1942

Diagnosis: Fracture, simple, complete, lateral aspect of distal one-half inch of left radius. (accident, fell off from a bomb carrier).

Treatment: Operation: Reduction of radius, left, closed method; application of plaster cast from web of fingers to elbow. Seat to remain for three weeks.

Personal Supplies Contract

Progress: May 9, 1942, Cast removed, condition good.

12

# GENERAL HOSPITAL NO. 2

Name: Magnaya, Iserdo

Age: .26

Progress:

Date of injury: April 5, 1942

Diagnosis: Fracture, simple, complete, middle third of right femur.

Treatment: April 6, 1942, Operation - Reduction by closed method. Plaster cast, hip spica applied. Anesthetic; Sodium

Pentothal. Position not good. Will remanipulate tomorrow.

April 7, 1942, The femur is remanipulated, and there is about half apposition. (cast bivalved to enable manipulation).

May 5, 1942, Cast is satisfactory for another month.

Name: Mangubat, Ricardo

Arre: 26

Date of injury: April 3, 1942

Diagnosis: GSW, high explosives, artillery, left leg, with extensive laceration of soft tissue of lateral aspect and fracture, comm. comm. severe, middle third, tibic and fibula.

Treatment: Wound cleansed, debrided and packed, Posterior plaster splint applied. Gas gangreme antitioxin given Prophylactically.

To reture to O.R. for cast when danger of gas infection subsides.

Progress: Patient transferred to gas gangrene ward, 4-5-42

April 6, 1942, The gas infection has progressed so it is impairative that the leg be removed, above the knee.

Operation: Amputation, guillotine, left leg, distal third of the thigh. April 6, 1942 Anesthetic: Sodium Pentothal. 1 gram.

May 10, 1942, The leg has not been reamputated, Stump discharges a mild amount of purulent material. No. inflammation present.

## GENERAL HOSPITAL NO. 2 (Transferred from Gen. Hosp. No. 1)

Name: Malittay, Abraham

Age: 22

Date of injury: Feb. 16, 1942

Diagnosis: GSW, hand grenade, left wrist, thru and thrm.
Fracture, compound, communited of cuniform carpal bone of left

wrist.

Treatment: Wound cleansed, metaphen, sulfa powder and vaseline packing to

wound. Application of posterior plaster splint.

Progress: An abscess had formed and draining considerably. Taken to 0.R. 3-4-42. Patient arrived at this Hospital- 3-3-42

Abscess opened, cleaned with metaphen and packed with sulfa powder and vaseline gauze. Plaster cast applied.

March 31, 1942, The cast is removed, there is a small amount of drainage from the wound on the hand; a posterior splint is applied which can be removed for dressing of the wound.

May 5, 1942, There is Osteo in carpal bone; discharging pus from wound. The patient has a radial nerve paralysis. He should be encouraged to exercise hand and wrist.

Name: Marand, Serafin

Age: 22

Date of injury: April 7, 1942

Magnosis: GNM, skrupnel, left arm, minor, and right thigh, and knee severe, Fracture, compound, communited right patella, tibia and fibula

at the knee joint.

Treatment: Wounds cleaned, and dressed with sulfathiazole and vaseline

gauze. cast applied to right leg.

Progress: April 13, 1942, Condition good, cast will have to be changed soon.

May 6, 1942, Old cast removed, wounds cleansed and packed with sulfa powder and vaseline gauze. Cast reapplied. May start walking on cast toworrow.

Name: Mendoza, Maximo

Age: 23

Date of Injury: Jan. 26, 1942

Diagnosis: GSW, wound, shrapnel, penetrating just below the left patella.

Fracture, incomplete, distal end of left femur.

Preatment: A foreign body was found and removed from above the left knee,

imbedded in the cortex of the femur.

Progress: March 26, 1942, Patient is still weak in bed, wound on left knee is granulating and shows improvement.

March 30, 1942, Left knee develops in infection.

April 1, 1942, Lesion on the left knee is undergoing healing.

April 3, 1942, Advised to walk around.

Humerus

GENERAL HOSPITAL NO. 2

Name: pvafro, Martin

Age: 45

Date of injury: April 5, 1942

Di gnosis: GSW, shrapnel, right arm, Fracture, compound, communited,

complete, of right humerus, upper third.

Treatment: Operation; Amputation, guillotine, upper third of right humerus.

Anesthetic: Sodium Pentothal, 1 gram.

April 18, pressings are changed very often. The wound of the stump is partly gangerenous.

May 2, Wound clearing up properly. Sent to O.R. for reampulation and reconstruction of flars.

May 10, The sutures have not been removed from the stump as yet. Drainage from the wound is moderate. There is no inflammatory process in the stump.

# GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Mikabon, Iclecerio

Age: 21

Date of injury: Feb. 9, 1942

page of injury. rep. 9, 1942

Diagnosis: GSW, shrapmel, penetrating, moderately severe, Gas Gangrene, secondary to first diagnosis: Fracture, comp. com. of left navicular and cuboid bones

Treatment: Wound debrided, cleaned with metaphen, opened (no anesthesia); packed with azochlormide. Posterior splint applied.

Progress: March 16, 1942, Gas Gangrene infection has now cleared up and is going to be transferred to Gen. Hosp. No. tomorrow.

March 19, 1942, Wound granulating well, soft callus of tarsal bones has formed. Posterior splint removed.

April 28, 1942, The wound has healed nicely and the fracture is well callused. The patient should walk on this foot, but will not be able to walk a great distance, for some time to come. His discharge depends upon the ability of this patient to walk and I would inagine it will take a week or two.

DECLASSIFIED
Authority NUDB93 076

Name: Silva, 6iriaco

Ages: 25

500. 27

Date of injury: April 6, 1942

Diagnosis: GSW, shrappel, severe, external maleolus, left foot.
Fracture, compound, communited, left Os calcis.

Treatment: Wound Bebrided, and cleansed with metaphen, sulfa powder and packed with vaseline gause. Gast applied.

Progress: March 14, 1942, 61d cast removed, wound cleansed and dressed.
Plaster cast applied.

May 10, Cast is in fairly good condtion.

April 1960 and 1960 a

Name: Quitasol, Raifuio

Age: 22

Date of injury: March 28, 1942

Diagnosis: GSW, penetrating dorsum of hand with Fracube comp. comm. of

third metacarpal, right hand.

Laceration slight in web between thumb and index fingers, right-

Laceration slight, proximal phalanx of left middle finger.

Treatment: Wounds cleansed with hydrogen peroxide and metaphen, Packed with

sulfathiazole and vaseline gauze. Posterior splint applied.

Progress: May 9, 1942, Patient is ambulatory, Posterior splint has been removed. Fracture resulted in a good union. Hard callus present.

GENERAL HOSPITAL NO. 2 (trans. from Gen. Hosp. No. 1)

Name: Rafael, Martin

Age: 24

Date of injury: Feb. 16, 1942

Plagnosis: GSW, bullet, severe, thru and thru, middle one-third left leg.
Fracture, comp. comm. of left tibia and fibula, middle one-third.
Gas gangrene, secondary to above.

Treatment: Guillotine amputation, lower one-third, left thigh (2-21-42) Harch 1, 1942, Reemputation and construction of flags, sulfapowder instilled into wound. Assethetics: Proceeding HED 150 mgs.

Progress: March 3, 1942, drain removed from stump. Appearance satisfactory.

March 6, 1942, moderate infection along suture line.
March 8, 1942, Moderate discharge from infected stump.

March 10, 1942, Sutures removed. Flaps did not unite. Flenty of neorotic tissue about where wound was debrided. Dakins solution instilled into wound. Will need another secondary closure.

March 15, 1942, There is only a slight discharge from wound at present.

April 19, 1942, Stump reconstruction; rubber tissue drain inserted to be removed in forty-eight hours.

May 11] Stump has healed satisfactorily and is in good condition.

Name: Santiago, Bengiman R.

Age: 22

Femur

Date of injury: Jan. 29, 1942

Diagnosis: GSW, shrapnel, penetrating right thigh at junction of upper and middle thirds.

Fracture, compound, communited, right femur.

Treatment: Wounds cleansed, debrided and packed with sulfa powder and vasoline gauge.

Actuation of fracture by closed method and application of a hip suite plater cast.

Progress: Wound has healed satisfactorily, although there tends to be a small arount of drainage. The femur has formed a hard callus. Fatient can now walk, bearing a little weight on the leg.

Cab 8 Hr-4

